

Date of Deposit: December 23, 2003

SEQUENCE LISTING

```
<110> Genitrix, LLC
      Segal, Andrew H
      Young, Elihu
<120> LECTIN COMPOSITIONS AND METHODS FOR MODULATING AN IMMUNE RESPONSE
      TO AN ANTIGEN
<130> 11111/2002
<140> US 10/645,000
<141> 2003-08-20
<150> US 60/404,823
<151> 2002-08-20
<150> US 60/487,407
<151> 2003-07-15
<160> 32
<170> PatentIn version 3.2
<210> 1
<211> 11
<212> DNA
<213> Artificial Sequence
<220>
<223> Sequence motif: P sequence
<400> 1
cgaaaatttc c
                                                                     11
<210> 2
<211> 11
<212> PRT
<213> Artificial Sequence
<220>
<223> Linker sequence intended to lessen steric hindrance or other
      undesirable interactions between first and second parts of the
      multifunction molecule
<400> 2
Arg Ala Arg Asn Pro Arg Val Pro Val Ala Thr
<210> 3
<211> 5
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Motif in the extracellular region, typical of type-1 cytokine
      receptors
<220>
<221> MISC FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid
<400> 3
Trp Ser Xaa Trp Ser
<210> 4
<211> 148
<212> DNA
<213> Artificial Sequence
<220>
<223> GTX-5
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5' phosphate
<400>
aattccgcgc cggcacagtg ctcagagaca aactggtcaa gtgtgagggc atcagcctgc
                                                                     60
tggctcagaa cacctcgtgg ctgctgctgc tcctgctgtc cctctccctc ctccaggcca
                                                                    120
cggatttcat gtccctgtga ctgggtac
                                                                     148
<210> 5
<211> 140
<212> DNA
<213> Artificial Sequence
<220>
<223> GTX-6
<220>
<221> misc feature
<222>
      (1)..(1)
<223> 5' phosphate
<400> 5
ccagtcacag ggacatgaaa tccgtggcct ggaggagga gagggacagc aggagcagca
                                                                     60
gcagccacga ggtgttctga gccagcaggc tgatgccctc acacttgacc agtttgtctc
                                                                     120
```

tgagcactgt gccggcgcgg		40
<210><211><212><213>	50	
<220> <223>	Upstream primer for PCR amplification of GM-CSF coding sequence	è
<400> ccgaat	6 ctcat gtggctgcag aatttacttt tcctgggcat tgtggtctac	50
<210><211><211><212><213>	50 DNA	
<220> <223>	Downstream primer for PCR amplification of GM-CSF coding sequer	ice
<400> cagccg	7 ggctt tttggactgg ttttttgcat tcaaagggga tatcagtcag	50
<210><211><212><213>	37	
<220> <223>	Upstream primer for PCR amplification of the 280 bp GPI modification signal sequence from the yeast protein Gas1	
<400> gtagco	8 eggeg etageteggg gtettettee aagteta	37
<210><211><211><212><213>	40	
<220> <223>	Downstream primer for PCR amplification of the 280 bp GPI modification signal sequence from the yeast protein Gas1	
<400> tacggt	9 caccc ctaggccaca atgaaataag ataccatacc	40
<210><211><211><212><213>	26	

<220>				
<223>	Upstream primer for PCR amplification of GMCSF-Gas1 insert			
<400>	10			
	egge acceacege teacee	26		
33				
	•			
	11			
<211>	31			
<212>				
<213>	Artificial Sequence			
<220>				
<223>	Downstream primer for PCR amplification of GMCSF-Gas1 insert			
	1			
<400>	11			
tacggc	cgcc acaatgaaaa taagatacca t	31		
<210>	12			
<211>	38			
<212>	DNA			
<213>	Artificial Sequence			
	•			
<220>				
<223>	Upstream primer for PCR amplification of Human GM-CSF			
<400>	12			
	cccg gccggcaccc gcccgctcgc ccagcccc	38		
gegaae	seeg geeggeacee geeegeeege ceageeee	50		
<210>	13			
<211>	32			
<212>	DNA			
<213>	Artificial Sequence			
<220>				
	Downstream primer for PCR amplification of Human GM-CSF			
\223 /	bownstream primer for rek amprification of Adman GM-CSF			
<400>	13			
cagccg	geet eetggaetgg eteceageag te	32		
<210>	14			
<211>	32			
<211>				
	Artificial Sequence			
-449/	The contract of the contract o			
<220>				
<223>	Upstream primer for PCR to clone GM-CSF Gas1g into the pITY-4			
	expression vector			
-400	1.4			
<400>	14	22		
tacggccggc acccgcccgc tcgcccagcc cc 32				

```
<210> 15
<211> 31
<212> DNA
<213> Artificial Sequence
<220>
<223> Downstream primer for PCR to clone GM-CSF Gas1g into the pITY-4
      expression vector
<400> 15
tacggccgcc acaatgaaaa taagatacca t
                                                                     31
<210> 16
<211> 42
<212> DNA
<213> Artificial Sequence
<220>
<223>
      Synthetic oligonucleotide for use in cloning of GM-CSF/Influenza
      Hemagglutinin Chimeric Proteins
<400> 16
                                                                     42
ccggcactag tggcggaggg ggctccggcg gcgggggcag cg
<210> 17
<211> 42
<212> DNA
<213> Artificial Sequence
<220>
      Synthetic oligonucleotide for use in cloning of GM-CSF/Influenza
<223>
      Hemagglutinin Chimeric Proteins
<400> 17
ctagegetge eccegeegee ggegeeeeet eegecactag tg
                                                                     42
<210> 18
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Amino acid sequence designed to insert a kink/spacer in the
      protein between the GMCSF and the Gas1.1 moieties
<400> 18
Gly Gly Gly Ser Gly Gly Gly Ser
<210> 19
<211> 26
<212> DNA
```

<213> Artificial Sequence	
<220>	
<223> Upstream Primer for PCR of HA1	
<400> 19	
atgctagcga cacaatatgt ataggc 20	6
<210> 20 <211> 38	
<211> 36 <212> DNA	
<213> Artificial Sequence	
<220>	
<223> Downstream Primer for PCR of HA1	
<400> 20	
atggtacccg gccgttatca tctggattga atggacgg 3	8
<210> 21	
<211> 26	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Upstream primer for PCR of pUC19 GM-CSF-K-HA	
<400> 21	
tacggccggc acccacccgc tcaccc 2	6
<210> 22	
<211> 38	
<212> DNA <213> Artificial Sequence	
<220> <223> Downstream primer for PCR of pUC19 GM-CSF-K-HA	
value of poets of the later of the second of	
<400> 22	
atggtacccg gccgttatca tctggattga atggacgg 3	8
<210> 23	
<211> 32 <212> DNA	
<213> Artificial Sequence	
<220>	
<223> Upstream primer for cloning of HA-K sequence by PCR of the HA1 coding sequence from a plasmid encoding the HA gene of the	
A/PR/8/34 strain of influenza.	
<400> 23	
	2

<210><211><212><213>	24 62 DNA Artificial Sequence	
12107	ozzzozaz bogacnos	
<220> <223>	Downstream primer for cloning of HA-K sequence by PCR of the Hamiltonian coding sequence from a plasmid encoding the HA gene of the A/PR/8/34 strain of influenza.	A1
<400> atggtad	24 ccgc tgcccccgcc gccggagccc cctccgccac ttctggattg aatggacgga	60
at		62
<210>	25	
<211><212>	29 DNA	
	Artificial Sequence	
<220> <223>	Upstream primer for PCR cloning of GM-CSF fragment	
(4437	opscream primer for FCR croning of GM-CSF fragment	
<400>	25	
acggtad	ccgc acccacccgc tcacccatc	29
<210>	26	
<211>		
<212>	DNA Artificial Sequence	
\2152	Artificial bequence	
<220>		
<223>	Upstream primer for PCR cloning of GM-CSF fragment	
<400>	26	
taggato	cccg gccgtcattt ttggactggt tttttgcacg	40
<210>	27	
<211>	32	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Upstream primer for PCR of pUC19 HA-K-GM-CSF	
<400>	27	
	tccg gccggacaca atatgtatag gc	32
_		
<210>	28	
<211>	40	
<212>	DNA	

<213>	Artificial Sequence		
<220>			
	Downstream primer for PCR of pUC19 HA-K-GM-CSF		
1227	panison panison and the proof and the obtaining		
<400>	28		
taggato	cccg gccgtcattt ttggactggt tttttgcacg	40	
		-	
<210>	29		
<211>	35		
<212>			
<213>	Artificial Sequence		
<220>			
	Upstream hGM-CSF Primer		
(223)	opporoum non con irranor		
<400>	29		
gcgaatt	cccg gccggcaccc gcccgctcgc ccagc	35	
<210>	30		
<211>			
<212>			
<213>	Artificial Sequence		
<220>			
	Downstream hGM-CSF Primer		
<400>	30		
tagccgg	gcct cctggactgg ctcccagca	29	
0.1.0			
<210> <211>	31 35		
	DNA	,	
	Artificial Sequence		
12137	Altificial bequence		
<220>			
<223>	Upstream primer for PCR of pUC19 hGM-CSF-K-HA		
<400>	31		
gcgaatt	cccg gccggcaccc gcccgctcgc ccagc	35	
<210>	32		
<211>			
<212>			
	Artificial Sequence		
- -			
<220>			
<223>	Downstream primer for PCR of pUC19 hGM-CSF-K-HA		
<400>	32		
atggtacccg gccgttatca tctggattga atggacgg 38			